




**HIGH PERFORMANCE
LIBERTY SERIES™
MARINE TRANSMISSIONS**



72L-HP Marine Transmissions



Example: For a pleasure craft boat with a gasoline engine, the Liberty Series™ will handle 1425 HP at 5000 RPM.



The Liberty Series™ **72L-HP** is a transmission specifically designed to satisfy the rigorous demands of the high performance applications. The **72L-HP** was designed from the ground up, using the latest engineering techniques and materials. Like all Liberty Series transmissions, this transmission is produced using state-of-the-art manufacturing processes. The 72L-HP features an all-aluminum, aircraft-grade case, making it extremely strong yet lightweight.

Features and benefits

- Dry sump design reduces parasitic losses while ensuring a constant supply of oil to the pump
- All-aluminum case is extremely lightweight
- Available in both electric and manual shift
- Drive line and close coupled designs use the same model with the addition of an adaptor plate (only one unit to stock)
- High speed rated to 6500 RPM
- Easily interchanged with existing competitor and Velvet Drive® transmission models
- Clutch pack rated at 2500 ft-lbs in 16 full size clutches and steels

General Information


	72L-HP
Available Ratios	1.0:1
Input Shaft Spline Teeth	26T 20/40 Pitch 30° PA
Input Shaft Rotation	Standard automotive
Output Shaft Rotation	Same as engine
Output Spline	24T 16/32 PITCH 30° PA
Dry Weight	86 lbs.

**QUIET
POWERFUL**

72L-H Marine Transmissions



Example: For a pleasure craft boat with a gasoline engine, the Liberty Series™ deliver will handle 950 HP at 5000 RPM.



The Liberty Series™ **72L-H** is a transmission specifically designed to satisfy the rigorous demands of mid range high performance and commercial boating applications. The **72L-H** is aimed at the high performance and commercial boater needing a reliable transmission for engines ranging from 400 hp to 1000hp. This transmission uses the same technology as its big brother, the **72L-HP**. Like all Liberty Series transmissions, this transmission is produced using state-of-the-art manufacturing processes. The **72L-H** features an all-aluminum, aircraft-grade case, making it extremely strong yet lightweight. The all new Liberty Series **72L-H** sets a new standard for mid range marine performance.

Features and benefits

- Dry sump design reduces parasitic losses while ensuring a constant supply of oil to the pump
- All-aluminum case is extremely lightweight
- Available in both electric and manual shift
- Drive line and close coupled designs use the same model with the addition of an adaptor plate (only one unit to stock)
- High speed rated to 6500 RPM
- Easily interchanged with existing competitor and Velvet Drive® transmission models
- Clutch pack rated at 1500 ft-lbs in 12 full size clutches and steels

General Information

	72L-HP
Available Ratios	1.0:1
Input Shaft Spline Teeth	26T 20/40 Pitch 30° PA
Input Shaft Rotation	Standard automotive
Output Shaft Rotation	Same as engine
Output Spline	24T 16/32 PITCH 30° PA
Dry Weight	82 lbs.

**QUIET
POWERFUL**

American Innovation

The Velvet Drive® transmission brand has been a leader in the marine industry for over 50 years. Regal has manufactured, and has been the exclusive source of, Velvet Drive transmissions since 1996. Velvet Drive transmission products feature quiet, smooth operation and are manufactured using the highest quality industry standards. Applications include tournament ski boats, inboard cruisers, sport fishing boats, sailboats, trawlers, center consoles, runabouts, yachts and high performance boats. The Liberty Series™ transmission provides the marine enthusiast the most power density transmission available, offering more horsepower per cubic inch of space, freeing up more usable boat space where it counts.



Complete Line of Marine Transmissions - Electric Shift Available on Most Models

Series	Model	Description	Ratio Available
71C	1017	In-Line	1.00
71C	1017W	In-Line Wakeboard	1.00
72C	1018	High Capacity	1.00, 1.52, 1.88, 2.10, 2.57, 2.91
72V	1005	15 Degree V-Drive Cast Iron	1.21, 1.51, 1.99, 2.50
72L	3007	In Line/Wakeboard	1:1
72L-V	3008	V-Drive/Wakeboard	1.25:1, 1.5:1, 1.76:1, 2.0:1
72L-X	3011	High Capacity In-Line	1:1
72L-H	3010	High Performance	1:1
72L-HP	3009	High Performance	1:1
72L-HPS	3023	High Performance	1:1
Liberty A	3001	8 Degree Down Angle Aluminum	1.00, 1.25, 1.50, 2.00, 2.50, 2.80
Liberty V	3002	12 Degree V-Drive Aluminum	1.25, 1.51, 2.00, 2.50
Liberty A	3021	8 Degree Down Angle Aluminum	1.00, 1.25, 1.50, 2.00, 2.50, 2.80
Liberty V	3022	12 Degree V-Drive Aluminum	1.25, 1.51, 2.00, 2.50



Velvet Drive Transmissions

PO Box 238
1208 Old Norris Rd
Liberty, SC 29657

Customer Service 864 843-9234
Technical Support 864-843-9234
Email: sales@velvetdrive.com